

DCK

VER.01 EU

DCK

BATTERY POWERED OUTDOOR POWER EQUIPMENT CATALOG 2026



EU.DCK-TOOLS.COM/OPE/
DCK BATTERY POWERED OUTDOOR POWER EQUIPMENT



DCK TOOLS TV
WATCH VIDEO & LEARN MORE



Instagram
DCK TOOLS



Facebook
DCK TOOLS



Twitter
DCK TOOLS

JIANGSU DONGCHENG IMPORT AND EXPORT TRADE CO.,LTD.
Power Tools Industrial Park of Tianfen, Qidong Coty, Jiangsu Province





BATTERY POWERED OUTDOOR POWER EQUIPMENT

CONTENTS

20 V MAX

20 V LITHIUM BATTERIES	04
PRUNER KDYD35S	06
TOP HANDLE CHAINSAW KDCS20122	08
MINI CHAINSAW KDCS20061	10
STRING TRIMMER KDST20152	12
LEAF BLOWER KDLB20151	14
HEDGE TRIMMER KDHT20221	16

58 V SUPERFUEL

E-ENERGY 58V LI-ION BATTERY	20
SUPERFUEL ENERGY CHARGER	22
BACKPACK LINK	22-24
BRUSHLESS OUTER ROTOR	24
WALK-BEHIND MOWER	26-28

HANDLE BLOWER	30
CHAIN SAW	32
STRING TRIMMERS	34-36
EDGER CUTTER ATTACHMENT	38
BRUSH CUTTER ATTACHMENT	38
POLE HEDGE TRIMMER ATTACHMENT	40
POLE SAW ATTACHMENT	40
EXTENSION POLE	40
HEDGE TRIMMER	42



CUTIDY ZERO-TURN RIDING LAWN MOWER

44-46



20 V MAX OUTDOOR POWER EQUIPMENT



DURABLE, ESPECIALLY FOR 20 V LITHIUM BATTERIES


- ➡ Single cell charging protection
- ➡ Single cell discharging protection
- ➡ Battery pack with temperature on-board detection is more accurate than detection by external tools.



BATTERY SLIDE
Firmly connect batteries and tools for high intensity work



REINFORCED PROTECTIVE WALL
Effectively extend the service life of the terminal



PROTECTIVE BARRIER
Effectively prevent dust from entering the battery pack



SEALING SILICONE
Effectively protect the chip from dust or metal



STURDY HOUSING AND BATTERY PROTECTION BRACKET
Good vibration resistance can effectively alleviate the damage of external shock to the battery

LOCK WITH ONE FINGER

UNIT CELL

NICKEL PLATE



BATTERY INDICATOR

	20^{MAX} Lithium-Ion 						
BATTERY SPECIFICATIONS	FFBL2020	FFBL2025	FFBL2040	FFBL2050	FFBL2060	FFBL2075	FFBL2080
Battery Capacity	2.0 Ah	2.5 Ah	4.0 Ah	5.0 Ah	6.0 Ah	7.5 Ah	8.0 Ah
Battery Indicator	●	●	●	●	●	●	●
Charging Time WITH FFCL20-02 / 2 A	≈60 MIN	≈75 MIN	≈120 MIN	≈150 MIN	≈180 MIN	≈225 MIN	≈240 MIN
Charging Time WITH FFCL20-04 / 4 A	≈35 MIN	≈45 MIN	≈65 MIN	≈80 MIN	≈95 MIN	≈115 MIN	≈125 MIN
Charging Time WITH FFCL2040-2 / DUAL 4 A	≈35 MIN	≈45 MIN	≈65 MIN	≈80 MIN	≈95 MIN	≈115 MIN	≈125 MIN
Charging Time WITH FFCL2080-02 / 8 A	≈35 MIN	≈45 MIN	≈35 MIN	≈45 MIN	≈55 MIN	≈65 MIN	≈70 MIN
Dimension (cm)	11.4 x 7.6 x 4.4	11.4 x 7.6 x 4.4	11.2 x 7.5 x 5.8	11.2 x 7.5 x 5.8	12.6 x 7.6 x 7.9	12.6 x 7.6 x 7.9	14.2 x 8.3 x 7.6
Net Weight	360 g	370 g	620 g	650 g	865 g	877 g	1020 g
	 FFCL20-02 / 2 A CHARGER			 FFCL20-04 / 4 A CHARGER			

20V LI-ION BATTERY PLATFORM FOR CORDLESS POWER TOOLS & OUTDOOR POWER EQUIPMENT






20 V MAX CORDLESS BRUSHLESS PRUNER KDYD35S

Featuring a brushless motor for superior power and energy efficiency, this trimmer integrates SK5 steel blades with Teflon coating to ensure razor-sharp durability, non-stick performance, and wear resistance. Its 4-gear shearing capacity and electronic shift function adapt seamlessly to diverse cutting tasks, while the dual safety switch eliminates accidental activation. Designed for comfort, the ergonomic rubberized handle provides secure grip and reduced fatigue during extended use.

RUBBERIZED HANDLE COMFORTABLE TO HOLD

SK5 STEEL BLADE WITH TEFLON COATING

SK5 steel blade with Teflon coating offers exceptional sharpness, durability, and non-stick performance with enhanced wear resistance.



BRUSHLESS MOTOR
More powerful and Higher efficiency.

DUAL SAFETY SWITCH
The dual safety switch effectively prevents false starts.



4-GEAR SHEARING CAPACITY SETTING

Applicable to different working conditions.

ELECTRONIC SHIFT FUNCTION, MATCH VARIOUS APPLICATIONS.



		KDYD35S AM WITH 20 V MAX / 2.0 AH BATTERY	KDYD35S Z BARE TOOL
		450 W	450 W
Max. Power Output Shearing Capacity	1st Gear	Hard Branches: ϕ 20 mm Soft Hard Branches: ϕ 20 mm	Hard Branches: ϕ 20 mm Soft Hard Branches: ϕ 20 mm
	2nd Gear	Hard Branches: ϕ 25 mm Soft Hard Branches: ϕ 25 mm	Hard Branches: ϕ 25 mm Soft Hard Branches: ϕ 25 mm
	3rd Gear	Hard Branches: ϕ 25 mm Soft Hard Branches: ϕ 30 mm	Hard Branches: ϕ 25 mm Soft Hard Branches: ϕ 30 mm
	4th Gear	Hard Branches: ϕ 25 mm Soft Hard Branches: ϕ 35 mm	Hard Branches: ϕ 25 mm Soft Hard Branches: ϕ 35 mm
	Runtime	2000 Cuts / 2.0 Ah / ϕ 15-25 mm	-
Weight		1.3 kg (2.78 lbs) with 20 V Max 2.0Ah Battery	1.0 kg (2.2 lbs) Bare Tool
ACCESSORIES & PACKAGE			
KDYD35S Pruner		1 pc.	1 pc.
Battery		FFBL2020 2.0 Ah Battery - 1 pc.	-
Charger		FFCL20-02 / 2 A Charger - 1pc.	-
Hex Wrench		1 pc.	1 pc.
Wrench		1 pc.	1 pc.
Whetstone		1 pc.	1 pc.
Lubricating Oil		1 pc.	1 pc.
Pruning Shear Tool-Case Assembly		1 pc.	1 pc.
Operator's Manual		1 pc.	1 pc.
Packing		Plastic Case Packing	Color Box Packing



FFBL2020 2.0 Ah Battery
FFCL20-02 / 2 A Charger



Pruning Shear Tool-Case Assembly



Hex Wrench



Wrench



Whetstone



Lubricating Oil



Operator's Manual



Plastic Case Packing



Color Box Packing



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT



20 V MAX CORDLESS BRUSHLESS TOP HANDLE CHAINSAW KDCS20122

Equipped with a brushless motor for extended runtime and enhanced durability, this chainsaw delivers efficient cutting with a maximum chain speed of 15 m/s. It features innovative tool-free chain tensioning and an automatic oiling system to simplify maintenance while prolonging chain life. The ultra-compact, lightweight body ensures superior maneuverability, complemented by a safety-focused brake system for reliable operation in diverse conditions.



TOOL-FREE SAW CHAIN TENSIONING
For convenient operation and maintenance.


SAFETY BRAKING SYSTEM
Preventing accidental cutting, safe and reliable

**AUTOMATIC OIL PUMPING SYSTEM
EFFECTIVELY EXTENDING THE LIFE
OF THE CHAIN**

**15 m/s HIGH CHAIN SPEED FOR
EFFICIENT AND SMOOTH CUTTING**

1100 W POWERFUL BRUSHLESS MOTOR
Brushless motor delivers longer run time and
extended motor life.

ULTRA-COMPACT
Ultra-compact body and light-weight



	KDCS20122 FK WITH 20 V MAX / 5.0 AH BATTERY	KDCS20122 BM WITH 20 V MAX / 4.0 AH BATTERY	KDCS20122 BDM WITH 20 V MAX / 4.0 AH BATTERY	KDCS20122 Z BARE TOOL
Bar Length	300 mm (12") Optional	300 mm (12") Optional	300 mm (12") Optional	300 mm (12") Optional
Chain Speed	15 m/s	15 m/s	15 m/s	15 m/s
Oil Tank Capacity	150 ml (5.07 oz.)	150 ml (5.07 oz.)	150 ml (5.07 oz.)	150 ml (5.07 oz.)
Max Cutting Dia.	280 mm (11")	280 mm (11")	280 mm (11")	280 mm (11")
Runtime (100x100mm Square Wood)	200 Cuts	160 Cuts	80 Cuts	-
Weight	3.28 kg (7.23 lbs) with 5.0 Ah Battery	3.2 kg (7 lbs) with 4.0 Ah Battery	3.2 kg (7 lbs) with 4.0 Ah Battery	2.0 kg (4.4 lbs) Bare Tool

ACCESSORIES & PACKAGE

KDCS20122 Chain Saw	1 pc.	1 pc.	1 pc.	1 pc.
Battery	FFBL2050 5.0 Ah Battery - 2 pcs.	FFBL2040 4.0 Ah Battery - 2 pcs.	FFBL2040 4.0 Ah Battery - 1 pc.	-
Charger	FFCL20-04 4 A Charger - 1 pc.	FFCL20-02 2 A Charger - 1 pc.	FFCL20-02 2 A Charger - 1 pc.	-
Saw Chain	1 pc.	1 pc.	1 pc.	1 pc.
Guide Bar	1 pc.	1 pc.	1 pc.	1 pc.
Bar Protector	1 pc.	1 pc.	1 pc.	1 pc.
Oil Bottle	1 pc.	1 pc.	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.	1 pc.	1 pc.
Packing	Color Box Packing	Color Box Packing	Color Box Packing	Color Box Packing



FFBL2050 5.0 Ah Battery
FFCL20-04 / 4 A Charger



FFBL2040 4.0 Ah Battery
FFCL20-02 / 2 A Charger



300 mm (12")
Oregon® Guide Bar & Scabbard



300 mm (12")
Oregon® Saw Chain



Oil Bottle



Operator's Manual



Color Box Packing



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT



20 V MAX CORDLESS BRUSHLESS MINI CHAINSAW KDCS20061

The 20 V MAX cordless brushless mini chainsaw combines robust performance with user-centric design. Its 750 W brushless motor and a maximum chain speed of 8 m/s ensure powerful and efficient cutting. For effortless maintenance, it features a tool-free chain tensioning system. Smooth, consistent operation is provided by the automatic oil pump, while the ultra-compact and ergonomic design offers superior handling and comfort during use.



	KDCS20061 ADM WITH 20 V MAX / 2.0 AH BATTERY	KDCS20061 Z BARE TOOL
Max. Power Output	750 W	750 W
No-load Speed	8 m/s	8 m/s
Max. Length of Guide Bar	15 cm (6")	15 cm (6")
Weight	1.5 kg (3.3 lbs) with 2.0 Ah Battery	1.2 kg (2.65 lbs) Bare Tool

ACCESSORIES & PACKAGE		
KDCS20061 Chainsaw	1 pc.	1 pc.
Battery	FFBL2020 2.0 Ah Battery - 1 pc.	-
Charger	FFCL20-02 2 A Charger - 1 pc.	-
Saw Chain	1 pc.	1 pc.
Guide Bar	1 pc.	1 pc.
Bar Protector	1 pc.	1 pc.
Oil Bottle	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.
Packing	Color Box Packing	Color Box Packing



FFBL2050 2.0 Ah Battery
FFCL20-02 / 2 A Charger



150 mm (6")
Guide Bar & Scabbard



150 mm (6")
Saw Chain



Oil Bottle



Operator's Manual



Color Box Packing





20 V MAX CORDLESS BRUSHLESS STRING TRIMMER KDST20152

Experience efficient and durable trimming with this cordless string trimmer, equipped with a high-performance brushless motor. Its dual-line system delivers a clean, precise cut while significantly reducing vibration for smoother operation. The trimmer features a rapid reload head with bump feed for effortless line advance and quick spool replacement. You can easily switch between two speed settings to adapt power to different grass conditions. Crafted with a lightweight aluminium shaft, it ensures comfort and reduced fatigue during longer gardening sessions. For flexible use, the cutting swath can be adjusted between 33 cm (13") and 38 cm (15") to suit various lawn sizes and trimming needs.

2-SPEED ADJUSTMENT



Auxiliary Handle



POWERFUL BRUSHLESS MOTOR



LIGHT WEIGHT ALUMINUM SHAFT



33 CM (13") AND 38 CM (15") ADJUSTABLE CUTTING SWATH



Guard (Front)



Guard (Back)



DUAL-LINE FOR BETTER CUTTING AND LOW VIBRATION



RAPID RELOAD AND BUMP FEED TRIMMER HEAD



KDST20152 HK WITH 20 V MAX / 6.0 AH BATTERY

Motor Type	Brushless
Cutting Width	33 cm (13") / 38 cm (15")
Line Diameter	2 x 2.0 mm (0.080")
Winding Type	Rapid reload
Feed Release	Bump feed
Foldable Shaft	Yes
Tube Material	Aluminum
Weight	3.2 kg (7.19 lbs) with 6.0 Ah Battery

KDST20152 Z BARE TOOL

Motor Type	Brushless
Cutting Width	33 cm (13") / 38 cm (15")
Line Diameter	2 x 2.0 mm (0.080")
Winding Type	Rapid reload
Feed Release	Bump feed
Foldable Shaft	Yes
Tube Material	Aluminum
Weight	2.4 kg (5.29 lbs) Bare Tool

ACCESSORIES & PACKAGE

KDST20152 String Trimmer	1 pc.	1 pc.
Battery	FFBL2060 6.0 Ah Battery - 1 pc.	-
Charger	FFCL20-04 / 4 A Charger - 1 pc.	-
Wrench	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.
Packing	Color Box Packing	Color Box Packing



FFBL2060 6.0 Ah Battery
FFCL20-04 / 4 A Charger



Wrench



Operator's Manual



Color Box Packing





20 V MAX CORDLESS BRUSHLESS LEAF BLOWER KDLB20151

This cordless leaf blower combines high performance with considerate design. Its turbo button instantly delivers maximum air power for tough debris, while the variable-speed trigger and adjustable dial provide smooth, precise control across all tasks. Driven by an efficient brushless motor, it achieves a powerful airflow of 940 m³/h (550 CFM) for fast and thorough clearing. Thoughtfully engineered for quieter operation, it runs up to 90% quieter than conventional petrol blowers, reducing noise disturbance. The tapered nozzle is designed to concentrate airflow, increasing velocity to effectively handle damp leaves and heavier garden waste with ease.

TURBO BUTTON FOR MAXIMAL POWER

VARIABLE TRIGGER AND SPEED DIAL FOR CONVENIENCE

UP TO 940 m³/h (550 CFM) OF AIR POWER

NOISE REDUCTION DESIGN, 90% QUIETER THAN GAS

TAPERED NOZZLE FOR MAXIMAL AIR SPEED



Tapered Nozzle



Spread Nozzle



Curved Nozzle



FFBL2060 6.0 Ah Battery
FFCL20-04 / 4 A Charger



Operator's Manual



Tapered Nozzle



Spread Nozzle



Curved Nozzle



Color Box Packing



KDLB20151 HK WITH 20 V MAX / 6.0 AH BATTERY

Motor Type	Brushless
Air Speed	209 km/h (130 MPH) with Tapered Nozzle
Air Volume	940 m ³ /h (550 CFM)
Weight	2.58 kg (5.68 lbs) with 6.0 Ah Battery

KDLB20151 Z BARE TOOL

Motor Type	Brushless
Air Speed	209 km/h (130 MPH) with Tapered Nozzle
Air Volume	940 m ³ /h (550 CFM)
Weight	1.72 kg (3.79 lbs) bare tool

ACCESSORIES & PACKAGE

KDLB20151 Leaf Blower	1 pc.	1 pc.
Battery	FFBL2060 6.0 Ah Battery - 1 pc.	-
Charger	FFCL20-04 4 A Charger - 1 pc.	-
Tapered Nozzle	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.
Packing	Color Box Packing	Color Box Packing





20 V MAX CORDLESS BRUSHLESS HEDGE TRIMMER KDHT20221

Designed for precision and versatility, this cordless hedge trimmer features three speed settings to easily adapt to different foliage types and trimming tasks. Its ergonomic 180-degree rotating rear handle offers five adjustable positions, providing optimal grip and control in various cutting orientations while reducing strain. Powered by a durable brushless motor, it delivers consistent and efficient performance with every use. The 550 mm (22") laser-cut double-edged blade ensures clean, sharp cuts for a tidy finish. Safety is prioritized with an electronic braking system that stops the blade instantly, ensuring reliable operation in all garden conditions.

ELECTRONIC BRAKING SYSTEM,
SAFE AND RELIABLE



3-SPEED, TO MEET DIFFERENT
WORKING CONDITIONS



BRUSHLESS MOTOR, POWERFUL,
EFFICIENT AND DURABLE



550 MM (22") LASER CUTTING DOUBLE-SIDED
BLADE SHARP AND EFFICIENT



180 DEGREE 5-POSITION ROTATING REAR
HANDLE FOR DIFFERENT SCENARIOS



KDHT20221 BDM WITH 20 V MAX / 4.0 AH BATTERY

Max. Cutting Length	550 mm (22")
Max. Cutting Diameter	28 mm (1.1")
Blade Type	Dual-action, double-sided Laser-cut Blade
Handle Type	180° Rotating
SPM	2,400 / 2,800 / 3,200
Weight	5.1 kg (11.24 lbs) with 4.0 Ah Battery

KDHT20221 Z BARE TOOL

Max. Cutting Length	550 mm (22")
Max. Cutting Diameter	28 mm (1.1")
Blade Type	Dual-action, double-sided Laser-cut Blade
Handle Type	180° Rotating
SPM	2,400 / 2,800 / 3,200
Weight	4.5 kg (9.92 lbs) Bare Tool

ACCESSORIES & PACKAGE

KDHT20221 Hedge Trimmer	1 pc.	1 pc.
Battery	FFBL2040 4.0 Ah Battery - 1 pc.	-
Charger	FFCL20-04 / 4 A Charger - 1 pc.	-
Blade Guard	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.
Packing	Color Box Packing	Color Box Packing



FFBL2040 4.0 Ah Battery
FFCL20-04 / 4 A Charger



Operator's Manual



Blade Guard



Color Box Packing



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

POWER IMAGINE SUPERIOR

58 V SUPERUEL

OUTDOOR POWER EQUIPMENT



58 V OUTDOOR POWER EQUIPMENT

POWER IMAGINE SUPERIOR

E-Energy 58 V Lithium-Ion Battery combines optimised energy storage and high-efficiency output with advanced thermal control, using a fortress-inspired structure and triangular cell grouping for rapid heat dissipation. Engineered for demanding industrial use, its shock-resistant design ensures durability, while intelligent airflow management maintains stable temperatures under heavy loads. Prioritising safety and extended runtime, it delivers reliable power through precision-engineered cooling and energy density maximisation.

SUPERFUEL

01 E-ENERGY 58 V Li-ION BATTERY

The e-ENERGY 58 V lithium-ion battery boasts a fortress-style interior design with triangular cell groups arranged to maximize on energy accumulation and space for heat dissipation.

02 SUPERFUEL ENERGY CHARGER

The DCK 58 V SUPERFUEL ENERGY CHARGER monitors and controls each cell in the battery pack to control temperature for maximum battery life.

03 BACKPACK LINK

New heat dissipation system
Support 58 V full series battery pack

04 BRUSHLESS OUTER ROTOR

Provide higher power density in the same size
Higher output power and torque can be achieved

05 WALK-BEHIND MOWER

DCK 58 V Self-propelled Lawn Mower features straight edge grass cutting performance and is easy to store. The self-propelled function increases traction and allows for effortless pushing of the mower.

06 HANDHELD BLOWER

The DCK 58 V Superior Blower with advanced aeronautics air duct engineering maximizes the air volume and velocity. The era of petrol/gas leaf blowers is over with the brushless motor.

07 CHAIN SAW

The chainsaw, equipped with 45 cm (18") Oregon® chain and guide bar, combined with an anti-vibration structure, delivers comfortable and safe working experiences.

08 STRING TRIMMERS

Compatible with the DCK 58 V Multi-Head System and other trimmer systems, the 58V Brushless Multi-Function String Trimmer offers easy attachment replacement.

09 EDGER CUTTER ATTACHMENT

Durable made and depth adjustment wheel
8" hardened steel

10 BRUSH CUTTER ATTACHMENT

The DCK 58 V Brush Cutter integrates three core innovations: a precision-machined metal gearbox with hardened steel components for extended durability.

11 POLE HEDGE TRIMMER ATTACHMENT

Variable speed control & Portable installation
9 position rotating

12 POLE SAW ATTACHMENT

Featuring a 25 mm (10") OREGON® bar and chain, it delivers robust cutting performance for demanding pruning tasks.

13 EXTENSION POLE ATTACHMENT

Portable installation interface for quick and easy installation.

14 HEDGE TRIMMER

The DCK Hedge Trimmer with top grade high quality, has a brushless motor that delivers ultimate power, and low vibration associated with longer runtime.



EU.DCK-TOOLS.COM/OPE/

DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

SUPERFUEL 58V

ENERGY LITHIUM-ION BATTERY

THERE IS NO SUBSTITUTE



Get into the DCK 58 V platform to experience industry-leading lithium-ion battery technology that boasts a fortress-style interior design with triangular cell groups arranged to maximize energy accumulation and space for heat dissipation. This combination of safety and efficiency ensures reliable and shock-resistant performance, making it the ideal choice for demanding applications.



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT




TRIANGULAR CELL GROUP ARRANGEMENT

The axis of the three cells are engineered in a triangular configuration, optimizing space and utilization while maximizing energy output for enhanced structural stability.



ADVANCED HEAT DISSIPATION

With a large space for energy accumulation, the center of the battery reserves ample space for heat dissipation.



BMS IMMERSIVE PROTECTION

The advanced battery management system provides intelligent safeguards for temperature and voltage protection. This technology prevents short-circuits and ensures peak performance and durability of the system.



KDBL5825 2.5 Ah

Capacity	126 Wh / 2.5 Ah
Charging Time	≈ 30 min / 8 A
Net Weight	1.50 kg / 3.3 lbs



KDBL5840 4.0 Ah

Capacity	201 Wh / 4.0 Ah
Charging Time	≈ 33 min / 8 A
Net Weight	2.08 kg / 4.6 lbs



KDBL5850 5.0 Ah

Capacity	252 Wh / 5.0 Ah
Charging Time	≈ 40 min / 8 A
Net Weight	2.90 kg / 4.6 lbs



KDBL5860 6.0 Ah

Capacity	302 Wh / 6.0 Ah
Charging Time	≈ 48 min / 8 A
Net Weight	2.9 kg / 6.4 lbs



KDBL5875 7.5 Ah

Capacity	378 Wh / 7.5 Ah
Charging Time	≈ 60 min / 8 A
Net Weight	2.9 kg / 6.4 lbs

ON-BOARD BATTERY INDICATOR

On-Board Battery Indicator provides a convenient way to monitor the battery level and ensure optimal usage.

58 V SUPERFUEL ENERGY
STANDARD 5 A CHARGER

The 350 W fast charging system integrates multiple safety protections, a real-time LED charging indicator, and an active fan cooling mechanism to ensure reliable and efficient power delivery.

Model	KCL5832-3 (EU) / KCL5832-2 (US)	
Input Voltage and Frequency	220 - 240 V / 50 Hz (EU) 120 V / 60 Hz (US)	
Charging Current	5.0 A Max	
Output Voltage	58 V	
Input Power	350 W	

LED CHARGING INDICATOR

FAN COOLING SYSTEM

An advanced cooling fan system effectively dissipates heat, ensuring efficient and safe charging.

MULTI-PROTECTION CHARGING SAFETY

58 V SUPERFUEL ENERGY
RAPID 8 A CHARGER

ADVANCED COOLING FAN SYSTEM

An advanced cooling fan system effectively dissipates heat, ensuring efficient and safe charging.

RAPID RECHARGE CAPABILITY

Integrated fuel gauge for quick battery level check.

STURDY STRUCTURE

The charger boasts a sturdy structure, providing durability and reliability for long-lasting use.

Model	KCL58-3 (EU) / KCL58-2 (US)				
Input Voltage and Frequency	220 - 240 V / 50 Hz (EU)			120 V / 60 Hz (US)	
Charging Current	8.0 A Max				
Output Voltage	58 V ---				
Input Power	550 W				
Applicable Battery Pack Voltage	50.4 V ---				
Applicable Battery Cartridge Capacity	2.5 Ah	4.0 Ah	5.0 Ah	6.0 Ah	7.5 Ah
Full Charging Time	≈ 30 min	≈ 33 min	≈ 40 min	≈ 48 min	≈ 60 min



SUPERFUEL 58V

BACKPACK
BATTERY LINK

This advanced charger monitors and controls each battery cell to optimize temperature and extend battery life. Its efficient cooling fan system ensures safe charging. Built for durability, it features a robust structure and an integrated fuel gauge for quick battery level checks.



Ergonomic handle design for easy hold.



Wider shoulder strap for lighter load and hand relief.



Unique mesh design for excellent breathability and ventilation.



Light weight for easy portability.



Support system
The machine can stand freely, making it easy to operate.



Side output port with durable cable tie for easy use.



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

KDBPA5801 58 V SUPERFUEL BACKPACK BATTERY LINK

Battery	58 V - 2.5 Ah / 4.0 Ah / 5.0 Ah / 6.0 Ah / 7.5 Ah
Batteries on Board	1 pc.
Net Weight	2.8 kg / 6.17 lbs


ACCESSORIES

Shoulder Strap - 1 pc.v | Backpack Connector - 1 pc.



ELABORATE IN DETAIL

The external dummy pack connector can match the full range of 58 V platform products. The ergonomic design allows users to adjust the looseness according to their own conditions, and properly disperses the heavy feeling brought by the battery pack, and effectively reduces the fatigue caused by long hours of handheld operation.



EU.DCK-TOOLS.COM/OPE/

DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

SUPERFUEL 58V BRUSHLESS OUTER ROTOR

PRECISE CONTROL

More precise speed and position control through precise electronic control



ADVANCED TECHNOLOGY
ALLOWS FOR PRECISION
PAIRING OF MOTORS AND TOOLS

LOWER ELECTROMAGNETIC INTERFERENCE


Electronic commutation without mechanical contact
Reducing electromagnetic interference

EXTENDED TOOL LIFE

Longer lifespan as no wear during operation



IMPROVED SYSTEM
DURABILITY



EFFICIENT POWER

Less energy waste and loss

HIGH POWER DENSITY

Provide higher power density in the same size
Higher output power and torque can be achieved
more runtime and more performance.



MORE RUNTIME



MORE PERFORMANCE

SUPERFUEL 58V



CORDLESS BRUSHLESS SELF-PROPELLED
LAWN MOWER KDLM58182



3 ADJUSTABLE
HANDLE HEIGHT



EASY TO STORE



CUTTING CAPABILITY

7 cutting height adjustment settings from 25 mm to 100 mm (1" - 4").

SELF-PROPELLED COMPACT
& LIGHTWEIGHT DESIGN

Self-propelled design featuring rear-wheel drive and variable speed control allows for effortless climbing over hills and bumps in your yard. Tackle different terrains with ease.



KDBL5860 6.0 Ah Battery
KCL5832-3(EU) / 5832-2(US)
Standard 5 A Charger



MULCHING INSERT



SIDE DISCHARGE CHUTE



GRASS COLLECTION BAG



Color Box Packing



Speed adjustment knob enables efficient operation in a compact design.



Telescopic handle allows for convenient folding and vertical storage.



Compact and durable brushless motor brings sustaining power , long runtime and low noise.



High-intensity LED lights enhance visibility in low-light environments, ensuring efficient operation even in the dark.



3 in 1 FUNCTION



Grass Collection



Side Discharging



Mulching

3 in 1 FUNCTION : Grass collection, side discharging, mulching offer versatility for any mowing style.

KDLM58182 HM
WITH 58 V MAX / 6.0 Ah BATTERY

KDLM58182 Z
BARE TOOL

No-load Speed	2800 rpm	2800 rpm
Cutting Width	470 mm (18")	470 mm (18")
Cutting Height Setting	7 Position, 25-100 mm (1"-4")	7 Position, 25-100 mm (1"-4")
Torque	11.4 N.m (8.4 ft.lbs)	11.4 N.m (8.4 ft.lbs)
Propelling Speed	1.8-5.0 km/h	1.8-5.0 km/h
Self-propelled Speed	0.5-1.4 m/s	0.5-1.4 m/s
Grass Collection Capacity	70 L	70 L
Runtime	Up to 48 mins (with 6.0 Ah Battery)	-
Weight	31.0 kg (68.3 lbs) with 6.0 Ah Battery	28.0 kg (61.71 lbs)

ACCESSORIES & PACKAGE

KDLM58182 Lawn Mower	1 pc.	1 pc.
58 V Superfuel Battery	KDBL5860 6.0 Ah Battery - 1 pc.	-
Charger	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-
Grass Collection Bag	1 pc.	1 pc.
Grass-Bag Frame	1 pc.	1 pc.
Mulching Insert	1 pc.	1 pc.
Side-Discharge Chute	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

CORDLESS BRUSHLESS SELF-PROPELLED LAWN MOWER KDLM58212

EASE YOUR YARD CLEAN DOWN, EASE YOUR MIND NATURE FUN.

DCK 58 V Self-propelled lawn mower features straight edge grass cutting performance and is easy to store. The self-propelled function increases traction and allows for effortless pushing of the mower. The USEFOLD technology helps the mower collapse and telescope up and down allowing for compact storage with just one knob.



USEFOLD TECHNOLOGY

USEFOLD technology helps to fold the tools with only adjusting one knob. Apply collapsible and telescoping handle for convenient storage.



EXTREME RUNTIME


Runtime up to 60 mins , ideal for ½ or smaller acre, constant operation.

CUTTING CAPABILITY

7 cutting height adjustment settings from 30 mm to 100 mm (1.2" - 4").



7 CUTTING HEIGHT ADJUSTMENT SETTINGS



SELF-PROPELLED COMPACT & LIGHTWEIGHT DESIGN

Self-propelled design featuring rear-wheel drive and variable speed control allows for effortless climbing over hills and bumps in your yard. Tackle different terrains with ease.



KDBL5875 7.5 Ah Battery
KCL58-3(EU) / 58-2(US)
Rapid 8 A Charger



KDBL5860 6.0 Ah Battery
KCL5832-3(EU) / 5832-2(US)
Standard 5 A Charger



Phone Mount



Color Box Packing



MULCHING INSERT



SIDE DISCHARGE CHUTE



GRASS COLLECTION BAG



Speed adjustment knob enables efficient operation in a compact design.



Telescopic handle enables one-handed folding and storage.



Compact and durable brushless motor brings sustaining power , long runtime and low noise.



High-intensity LED lights enhance visibility in low-light environments, ensuring efficient operation even in the dark.



Powerful 58 V high performance delivers superfuel power.



3 in 1 FUNCTION



Grass Collection



Side Discharging



Mulching

3 in 1 FUNCTION : Grass collection, side discharging, mulching offer versatility for any mowing style.

	KDLM58212 PK WITH 58 V MAX / 7.5 Ah BATTERY	KDLM58212 HM WITH 58 V MAX / 6.0 Ah BATTERY	KDLM58212 Z BARE TOOL
No-load Speed	2600 rpm	2600 rpm	2600 rpm
Cutting Width	520 mm (21")	520 mm (21")	520 mm (21")
Cutting Height Setting	7 Position, 30 - 100 mm (1.2" - 4")	7 Position, 30 - 100 mm (1.2" - 4")	7 Position, 30 - 100 mm (1.2" - 4")
Torque	11.4 N.m (8.4 ft.lbs)	11.4 N.m (8.4 ft.lbs)	11.4 N.m (8.4 ft.lbs)
Propelling Speed	1.8 - 5.0 km/h	1.8 - 5.0 km/h	1.8 - 5.0 km/h
Self-propelled Speed	0.5 - 1.4 m/s	0.5 - 1.4 m/s	0.5 - 1.4 m/s
Grass Collection Capacity	70 L	70 L	70 L
Runtime	Up to 60 mins (with 7.5 Ah Battery)	Up to 48 mins (with 6.0 Ah Battery)	-
Weight	32.5 kg (71.5 lbs) with 7.5 Ah Battery	31.5 kg (69.4 lbs) with 6.0 Ah Battery	30.4 kg (67 lbs)

ACCESSORIES & PACKAGE

KDLM58212 Lawn Mower	1 pc.	1 pc.	1 pc.
58 V Superfuel Battery	KDBL5875 7.5 Ah Battery - 1 pc.	KDBL5860 6.0 Ah Battery - 1 pc.	-
Charger	KCL58-3(EU) / 58-2(US) Rapid 8 A Charger - 1 pc.	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-
Grass Collection Bag	1 pc.	1 pc.	1 pc.
Grass-Bag Frame	1 pc.	1 pc.	1 pc.
Mulching Insert	1 pc.	1 pc.	1 pc.
Side-Discharge Chute	1 pc.	1 pc.	1 pc.
Phone Mount	1 pc.	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.	1 pc.



EU.DCK-TOOLS.COM/OPE/

DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

SUPERFUEL 58V

CORDLESS BRUSHLESS
LEAF BLOWER KDLB58211

ENDS THE ERA OF PETROL/GAS LEAF BLOWER



FROM ZERO TO HERO


Turbo button creates incredible 1308 m³/h (770 CFM) air volume immediately, plus “free your thumb” cruise control knob that makes it more powerful than gas-powered models.

INNOVATIONS FOR UNMATCHED POWER

Up to 1308 m³/h (770 CFM) and 320 km/h (200 MPH) of airpower delivers super excellent cleaning efficiency.

JET FAN / AXIAL FAN DESIGN

The jet fan/axial fan design provides higher blower power and efficiency, with advanced aeronautics air duct engineering to maximize the air volume and velocity.



ADVANCED AIR DUCT DESIGN

LIGHTWEIGHT & ERGONOMIC DESIGN

Lightweight and ergonomic design allows for easy control and arm movement. Anti-vibration structure delivers comfortable and safe working experience.



KDBL5850 5.0 Ah Battery
KCL58-3(EU) / 58-2(US)
Rapid 8 A Charger



KDBL5840 4.0 Ah Battery
KCL5832-3(EU) / 5832-2(US)
Standard 5 A Charger



Shoulder Strap



Color Box Packing



Powerful 58 V high performance delivers superfuel power.



The brushless motor technology provides extended runtime and significantly increases motor lifespan for reliable, long-term performance.



Variable speed trigger switch for ultimate power control and runtime management.



The levitated air duct with anti-vibration design ensures a comfortable, safe, and quiet working environment.



The blower tube ensures highly efficient airflow for superior performance.



Nozzle-Release button releases the Nozzles from the blower easily.



Tapered Nozzle concentrates air speed.



Tapered Nozzle



Spread Nozzle



Curved Nozzle

KDLB58211 FDK
WITH 58 V MAX / 5.0 Ah BATTERY

No-load Speed	3500 - 26500 rpm
Noise	102 dB
Maximum Propulsive Force	27 N
Air Speed	320 km/h (200 MPH) with Tapered Nozzle
Air Volume	1308 m³/h (770 CFM)
Run Time	Turbo: 14 min / High: 24 min
Weight	4.76 kg (10.5 lbs) with 5.0 Ah Battery

KDLB58211 BDM
WITH 58 V MAX / 4.0 Ah BATTERY

No-load Speed	3500 - 26500 rpm
Noise	102 dB
Maximum Propulsive Force	27 N
Air Speed	320 km/h (200 MPH) with Tapered Nozzle
Air Volume	1308 m³/h (770 CFM)
Run Time	Turbo: 12 min / High: 20 min
Weight	4.76 kg (10.5 lbs) with 4.0 Ah Battery

KDLB58211 Z
BARE TOOL

No-load Speed	3500 - 26500 rpm
Noise	102 dB
Maximum Propulsive Force	27 N
Air Speed	320 km/h (200 MPH) with Tapered Nozzle
Air Volume	1308 m³/h (770 CFM)
Run Time	-
Weight	2.67 kg (5.9 lbs) Bare Tool

ACCESSORIES & PACKAGE

KDLB58211 Leaf Blower	1 pc.	1 pc.	1 pc.
58 V Superfuel Battery	KDBL5850 5.0 Ah Battery - 1 pc.	KDBL5840 4.0 Ah Battery - 1 pc.	-
Charger	KCL58-3(EU) / 58-2(US) Rapid 8 A Charger - 1 pc.	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-
Tapered Nozzle	1 pc.	1 pc.	1 pc.
Curved Nozzle	1 pc.	1 pc.	1 pc.
Spread Nozzle	1 pc.	1 pc.	1 pc.
Shoulder Strap	1 pc.	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.	1 pc.



EU.DCK-TOOLS.COM/OPE/

DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

CORDLESS BRUSHLESS CHAIN SAW KDCS58161 / KDCS58181

The DCK tool-free chain tension chainsaw, featuring a 450 mm (18") / 400 mm (16") Oregon® chain and guide bar, incorporates an anti-vibration structure to provide comfortable and safe working experiences. With its automatic oiling system, it maximizes performance while combating wear and tear. When it comes to cutting, this chainsaw, coupled with a highly efficient brushless motor and advanced control system, delivers a consistent high-speed performance, providing a smooth cutting experience comparable to that of a petrol unit.



450 mm (18-inch)

*KDCS58161 (Type BDM/Z) Configuration Bar Length 400 mm (16") Optional;
KDCS58181 (Type FDM/Z) Configuration Bar Length 450 mm (18") Optional.

CHAIN KICKBACK BRAKE GUARD

Stop the chain immediately on kickback, making this a safer chainsaw.

SMOOTH CUTTING WITH CONSTANT HIGH-SPEED

GUIDE BAR 450 MM (18") / 400 MM (16")

450 mm (18") / 400 mm (16") Oregon® chain and guide bar ensure comfortable and safe working experiences.

QUICK CHAIN TENSION (TOOL FREE)

Tool-free chain tension for convenient operation and maintenance.

UNPARALLELED RUNTIME

58 V 5.0 Ah battery drives up to 300 cuts of 4x4 wood



INTELLIGENT OIL-REFILLING SYSTEM

Automatic oiling system to maxout the performance confront the wear and tear.

ANTI-VIBRATION STRUCTURE WITH SAFE & LIGHWEIGHT DESIGN

Metal spike provides more control and minimizes kickback. Built-in LED light illuminates your work when you are cutting at dusk or in dark area. Anti-vibration structure ensures comfortable and safe working experience.



KDBL5850 5.0 Ah Battery
KCL58-3(EU) / 58-2(US)
Rapid 8 A Charger



KDBL5840 4.0 Ah Battery
KCL5832-3(EU) / 5832-2(US)
Standard 5 A Charger



450 mm (18") / 400 mm (16")
Oregon® Guide Bar & Scabbard



450 mm (18") / 400 mm (16")
Oregon® Saw Chain



Bar and Chain Oil



Color Box Packing



Lock-off button ensures safe use and prevents accidental switch startup.



Variable speed trigger switch for ultimate power control and runtime management.



Built-in LED light illuminates your work when you are cutting at dusk or in dark area.



Stops the chain immediately on kickback, making this a safer chainsaw.



Tool-free chain-tension adjust knob, permits quick precise adjustment of chain tension with just a twist.



Metal spike enhances more control and minimizes kickback.



Oil capacity inspection window shows the oil level in the tank.



High-performance brushless motor delivers sustained power with longer runtime, quieter operation, and enhanced durability in a compact design.



	KDCS58161 BDM WITH 58 V MAX / 4.0 Ah BATTERY	KDCS58161 Z BARE TOOL	KDCS58181 FDK WITH 58 V MAX / 5.0 Ah BATTERY	KDCS58181 Z BARE TOOL
Chain Speed	23 m/s	23 m/s	23 m/s	23 m/s
Oil Tank Capacity	320 ml (11.26 oz.)	320 ml (11.26 oz.)	320 ml (11.26 oz.)	320 ml (11.26 oz.)
Bar Length	400 mm (16") Optional	400 mm (16") Optional	450 mm (18") Optional	450 mm (18") Optional
Max Cutting Dia.	380 mm (15")	380 mm (15")	430 mm (17")	430 mm (17")
Runtime	240 Cuts 100x100 mm (4"x4") LUMBER with 4.0 Ah battery	-	300 Cuts 100x100 mm (4"x4") LUMBER with 5.0 Ah battery	-
Weight	6.9 kg (15.2 lbs) with 4.0 Ah Battery	4.8 kg (10.6 lbs) Only Tool	7.0 kg (15.4 lbs) with 5.0 Ah Battery	4.9 kg (10.8 lbs) Only Tool

ACCESSORIES & PACKAGE

Chain Saw	KDCS58161 Chain Saw - 1 pc.	KDCS58161 Chain Saw - 1 pc.	KDCS58181 Chain Saw - 1 pc.	KDCS58181 Chain Saw - 1 pc.
58 V Superfuel Battery	KDBL5840 4.0 Ah Battery - 1 pc.	-	KDBL5850 5.0 Ah Battery - 1 pc.	KDBL5840 4.0 Ah Battery - 1 pc.
Charger	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-	KCL58-3(EU) / 58-2(US) Rapid 8 A Charger - 1 pc.	-
Saw Chain	400 mm (16") Saw Chain - 1 pc.	400 mm (16") Saw Chain - 1 pc.	450 mm (18") Saw Chain - 1 pc.	450 mm (18") Saw Chain - 1 pc.
Guide Bar	400 mm (16") Guide Bar - 1 pc.	400 mm (16") Guide Bar - 1 pc.	450 mm (18") Guide Bar - 1 pc.	450 mm (18") Guide Bar - 1 pc.
Scabbard	1 pc.	1 pc.	1 pc.	1 pc.
Bar and Chain Oil	1 pc.	1 pc.	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.	1 pc.	1 pc.



EU.DCK-TOOLS.COM/OPE/

DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

SUPERFUEL 58V

CORDLESS BRUSHLESS
STRING TRIMMER KDST58171

NEW

The 58 V cordless brushless string trimmer KDST58171 is engineered for efficient and effortless garden maintenance. It combines a powerful, energy-efficient brushless motor with intelligent AI speed control that automatically adapts to the task, alongside a manual two-speed setting for precise handling. The dual-line cutting system ensures a clean, even finish while significantly reducing vibration and operator fatigue. For added convenience, it features a rapid-reload bump-feed head for instant line adjustment, and its cutting width is easily adjustable from 35 cm to 43 cm (14" to 17") to suit various needs. Designed with user comfort in mind, the tool is built with a lightweight aluminium shaft and includes an adjustable auxiliary handle to accommodate users of all heights.

AI CONTROL SPEED MODE
AND 2-SPEED ADJUSTMENT

ADJUSTABLE HANDLE TO
ACCOMMODATE USERS OF
DIFFERENT HEIGHTS

DUAL-LINE FOR
BETTER CUTTING AND
LOW VIBRATION

GAS-PERFORMANCE POWER BUT
QUIET OPERATION

POWERFUL BRUSHLESS MOTOR

35 CM / 43 CM (14 IN. / 17 IN.) ADJUSTABLE
CUTTING SWATH

RAPID RELOAD AND BUMP FEED TRIMMER HEAD

ERGONOMIC DESIGN WITH COMFORTABLE SHOULDER
STRAPS TO REDUCE LOWER-BACK STRAIN



Brushless motor delivers longer run time
and extended motor life.



3-speed setting switch for ultimate power
control and runtime management.



The adjustable assist handle ensures a
comfortable and ergonomic grip, while
effectively minimising vibration for
improved control and reduced operator
fatigue.



Attach the shoulder strap to the trimmer
for enhanced comfort and ease of use,
reducing fatigue during extended
operation.



Dual-line for better cutting and low
vibration.



35 cm / 43 cm (14 in. / 17 in.)
adjustable cutting swath



KDBL5825 4.0 Ah Battery
KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger



Shoulder Strap



Wrench



Color Box Packing

KDST58171 BDM
WITH 58 V MAX / 4.0 Ah BATTERY

Line Diameter	2 x 2.4 mm (0.095")
Cutting Path/Swath	35 cm / 43 cm (14 in. / 17 in.)
No-load Speed	4500 / 5200 rpm
Line Reload	Bump Feed
Runtime	Up to 49 mins (level 1) / 29 mins (level 2)
Weight	5.78 kg with 4.0 Ah Battery

KDST58171 Z
BARE TOOL

Line Diameter	2 x 2.4 mm (0.095")
Cutting Path/Swath	35 cm / 43 cm (14 in. / 17 in.)
No-load Speed	4500 / 5200 rpm
Line Reload	Bump Feed
Runtime	-
Weight	3.7 kg Bare Tool

ACCESSORIES & PACKAGE

KDST58171 Power Head	1 pc.	1 pc.
KDST58171 String Trimmer Attachment	1 pc.	1 pc.
58 V Superfuel Battery	KDBL5840 4.0 Ah Battery - 1 pc.	-
Charger	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-
Wrench	1 pc.	1 pc.
Shoulder Strap	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

CORDLESS BRUSHLESS MULTI-FUNCTION TRIMMER KDPH581+KDST151

Compatible with the DCK 58 V Multi-Head System and other trimmer systems, the 58V Brushless Multi-Function String Trimmer offers easy attachment replacement.



VARIABLE SPEED CONTROL FOR ALL THE DEMANDS

3-speed setting switch for ultimate power control and runtime management.

GUARD

Reduce the risk of injury from foreign objects.

ATTACHMENT-CAPABLE

Attachment-capable design fits DCK 58V Multi-Head System

EASY AND RAPID RELOAD WITH A TWIST OF THE TRIMMER SPOOL



GAS-PERFORMANCE POWER BUT QUIET OPERATION

LEVER STYLE LOCK SYSTEM & ERGONOMIC DESIGN

Lever style lock system allows for quick tool-less installation and replacement of attachments and adjustable assist handle for comfortable ergonomic experience.



Brushless motor delivers longer run time and extended motor life.



3-speed setting switch for ultimate power control and runtime management.



The adjustable assist handle ensures a comfortable and ergonomic grip, while effectively minimising vibration for improved control and reduced operator fatigue.



Attach the shoulder strap to the trimmer for enhanced comfort and ease of use, reducing fatigue during extended operation.



Lever style lock system allows for quick tool-less installation and replacement of attachments.



Shaft-release button for quick release and installation of different attachments.



Line-cutting blade keeps the trimmer line at the proper length.

ATTACHMENT

KDBC121

Brush Cutter Attachment

KDEG081

Edger Attachment

KDHT211

Pole Hedge Trimmer Attachment

KDCS101

Pole Saw Attachment

KDEP281

Extension Pole Attachment

KDPH581 FDK + KDST151 WITH 58 V MAX / 5.0 Ah BATTERY

KDPH581 BDM + KDST151 WITH 58 V MAX / 4.0 Ah BATTERY

KDPH581 Z + KDST151 BARE TOOL

Line Diameter	2.4 mm (0.095")	2.4 mm (0.095")	2.4 mm (0.095")
Cutting Path/Swath	380 mm (15")	380 mm (15")	380 mm (15")
No-load Speed	4,000 / 5,000 / 5,700 rpm	4,000 / 5,000 / 5,700 rpm	4,000 / 5,000 / 5,700 rpm
Line Reload	Bump Feed	Bump Feed	Bump Feed
Runtime	Up to 115 mins	Up to 90 mins	-
Weight	7.29 kg (16 lbs) with 5.0Ah Battery	7.29 kg (16 lbs) with 4.0Ah Battery	5.20 kg (11.4 lbs) Bare Tool

ACCESSORIES & PACKAGE

KDPH581 Power Head	1 pc.	1 pc.	1 pc.
KDST151 String Trimmer Attachment	1 pc.	1 pc.	1 pc.
58 V Superfuel Battery	KDBL5850 5.0 Ah Battery - 1 pc.	KDBL5840 4.0 Ah Battery - 1 pc.	-
Charger	KCL58-3(EU) / 58-2(US) Rapid 8 A Charger - 1 pc.	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-
Wrench	1 pc.	1 pc.	1 pc.
Shoulder Strap	1 pc.	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.	1 pc.



EDGER ATTACHMENT KDEG081

Compatible with the DCK 58 V multi-head system and other trimmer systems, the 58 V brushless multi-function string trimmer offers easy attachment replacement.



DEPTH-ADJUSTING KNOB CONTROLS WHEEL FOR CONVENIENT WORKING EXPERIENCE.

DURABLE DIE-CAST ALUMINUM GUARD FOR RELIABLE PROTECTION

The die-cast aluminum guard ensures exceptional durability and reliable protection, safeguarding against potential hazards for long-lasting performance.

200 MM (8") HARDENED STEEL BLADE

The 200 mm (8") hardened steel blade delivers clean, precise cuts, ensuring perfectly maintained edges around your driveway with long-lasting durability.


DURABILITY

Cast aluminum guard and steel skid plate for maximum durability.

Guide wheel rolls on ground and keeps edger blade at preset height for required depth of cut.

Debris flap reduces the risk of injury from foreign objects.

Guide plate for cutting against pavement.





KDEG081

Edging Depth	60 mm
Blade Length	200 mm (8")
RPM	3,600 / 4,500 / 5,100
Weight	2.3 kg (5.05 lbs)
Accessories	Edger Attachment - 1 pc. Color Box Packing - 1 pc.

BRUSH CUTTER ATTACHMENT KDBC121

KDPH581+KDBC121 58 V superfuel brushless cordless brush cutter integrates three core innovations: a precision-machined metal gearbox with hardened steel components for extended durability, a debris-deflecting reinforced safety guard, and a 300 mm (12") triple-cutter blade employing triangular tooth geometry that reduces friction while maximizing cutting efficiency.



DURABLE METAL GEARBOX


Precision-engineered with high-grade steel components for extended operational lifespan.

REINFORCED SAFETY GUARD

Safety-tested protection system minimizes debris exposure risks during operation.

300 MM (12") TRIPLE-CUTTER BLADE

Triangular tooth configuration ensures optimal cutting efficiency with reduced material friction.



KDBC121

Blade Type	Three Teeth
Cutting Width	300 mm (12")
RPM	4,000 / 5,000 / 5,700
Weight	1.84 kg (4.06 lbs)
Accessories	Brush Cutter Attachment - 1 pc. Color Box Packing - 1 pc.



POLE HEDGE TRIMMER ATTACHMENT KDHT211

Featuring a dual-action double-sided blade for clean cuts, this trimmer offers tool-free adjustment and 9-position rotating head for comfortable vertical or angled trimming. Quick setup and ergonomic design ensure smooth operation.

ADJUSTING BLADE

9 Position rotating provides comfort trimming during vertical and angle trimming.

TOOL-LESS ORIENTATION ADJUSTMENT

Enjoy hassle-free adjustments with the tool-less orientation feature, designed for quick and easy customization.



Blade Guard Safe guards against contact with the sharp blades when the tool is not in use.

Tip protector protects the outer tip of the blade.



Color Box Packing

KDHT211

Max Cutting Length	460 mm (18")
Max Cutting Diameter	21 mm (0.83")
Blade Type	Dual-action, Double-sided Laser-cut diamond ground blade
Handle Type	120° Rotating
SPM	2,100 / 2,650 / 3,050
Weight	2.58 kg (5.68 lbs)
Accessories	Pole Hedge Trimmer Attachment - 1 pc. Color Box Packing - 1 pc.

Soft sleeve reduces vibration and provides comfortable operating experience.

Dual-action laser cut blade hardened steel blades for cutting hedges and shrubs.

POLE SAW ATTACHMENT KDCS101

Compatible with the DCK power head (KDPH581, sold separately), this pole saw features a 250 mm (10") Oregon® bar and chain for strong cutting performance. The auto-oiling system keeps the chain lubricated, while the tool-free interface ensures quick setup. Ideal for demanding pruning tasks.

PORTABLE INTERFACE

Portable interface for quick and easy installation.

AUTOMATIC OILING


Automatic oiling delivers a steady supply of chain lubrication for safe and effective use.



The one-touch angle adjustment feature allows for seamless 0 - 90° positioning, enabling versatile performance across a wide range of pruning tasks.

The chain-tensioning screw allows for quick and precise adjustment of the saw chain, ensuring optimal tension for safe and efficient operation.

Dual-head wrench lock/unlocks the hex head bolt and the flat screw.



250 MM (10") OREGON® CHAIN AND GUIDE BAR

Dual action double sided blade for optimal cutting performance and efficiency.

Color Box Packing

KDCS101

Blade Length	250 mm (10")
RPM	4,800 / 6,000 / 6,800
Chain Speed (m/s)	10.5 / 13.5 / 15
Chain Tensioning	Tooled
Weight	2.2 kg (4.85 lbs)
Accessories	Brush Cutter Attachment - 1 pc. Color Box Packing - 1 pc.

KDEP281

EXTENSION POLE ATTACHMENT



Compatible with DCK power head KDPH581 and pole saw/pole hedge trimmer attachment for 58 V multi-head system (available Separately).



Portable installation interface for quick and easy installation.



Up to 712 mm (28") extension to get your works done easier.


Color Box Packing

Length	712 mm (28")
Weight	0.75 kg (1.65 lbs)
Accessories	Extension Pole Attachment - 1 pc. Color Box Packing - 1 pc.



CORDLESS BRUSHLESS SELF-PROPELLED HEDGE TRIMMER KDHT58262

The DCK 58 V hedge trimmer features 650 mm (26") dual-action steel blades for precise cuts up to 33 mm (1-1/4") and smooth trimming thanks to laser-cut, diamond-ground blades. Its brushless motor ensures durability, extended runtime, and quiet operation. Comfort is enhanced with a 5-position 180° rotating handle and variable speed control, while its anti-vibration design guarantees safer, more comfortable use. Additionally, it offers a no-load speed of 2400 / 2800 / 3400 rpm, allowing for optimized performance depending on trimming needs.



LONG-LASTING BLADE

Made from high carbon stainless steel (C75), the blades are more durable.

DESIGN TO ABSORB VIBRATION

Patented anti-vibration design, blade gap gets around those branches and rips right through them, while the over molded construction on the grips dissipates all that power.

5-POSITION 180° ROTATING



ROTATING HANDLES

5-position 180° rotating provides comfort trimming during vertical and angle trimming.

FRONT HANDLE FOR EASY CONTROL OF THE TOOL.

ERGONOMIC DESIGN

Compact and durable brushless motor brings sustaining power, longer runtime with lower noise. The over molded rubberized grip dissipates all that power and provides a comfortable experience.

- Dual-switch safety system (rear trigger + front lever) prevents accidental startup for secure operation.
- Integrated lock-off mechanism ensures complete trigger deactivation, preventing accidental starts and unauthorized use.
- Precision 3-speed selector (2400 / 2800 / 3400 RPM) adapts to varying cutting tasks, from delicate trimming to heavy-duty hedging.
- Front handle for easy control of the tool.
- Advanced safety guard with debris deflection system minimizes injury risks from flying debris and accidental contact.
- Reinforced blade tip guard provides maximum protection against impacts and abrasions during storage and transportation.



- Compact and durable brushless motor brings sustaining power, long runtime and low noise.
- Safety-engineered blunt-nose blade design prevents puncture injuries while maintaining optimal cutting performance.



	KDHT58262 CK WITH 58 V MAX / 2.5 Ah BATTERY	KDHT58262 CM WITH 58 V MAX / 2.5 Ah BATTERY	KDHT58262 Z BARE TOOL
Max Cutting Length	650 mm (26")	650 mm (26")	650 mm (26")
Max Cutting Diameter	33 mm (1-1/4")	33 mm (1-1/4")	33 mm (1-1/4")
Handle Type	180° Rotating	180° Rotating	180° Rotating
No-Load Speed	2400 / 2800 / 3400 rpm	2400 / 2800 / 3400 rpm	2400 / 2800 / 3400 rpm
Runtime	40 mins with 2.5 Ah Battery (High Mode)	40 mins with 2.5 Ah Battery (High Mode)	-
Weight	5.9 kg (13 lbs) with 2.5 Ah Battery	5.9 kg (13 lbs) with 2.5 Ah Battery	4.5 kg (9.92 lbs) Only Tool

ACCESSORIES & PACKAGE

KDHT58262 Hedge Trimmer	1 pc.	1 pc.	1 pc.
58 V Superfuel Battery	KDBL5825 2.5 Ah Battery - 1 pc.	KDBL5825 2.5 Ah Battery - 1 pc.	-
Charger	KCL58-3(EU) / 58-2(US) Rapid 8 A Charger - 1 pc.	KCL5832-3(EU) / 5832-2(US) Standard 5 A Charger - 1 pc.	-
Scabbard	1 pc.	1 pc.	1 pc.
Operator's Manual	1 pc.	1 pc.	1 pc.
Color Box Packing	1 pc.	1 pc.	1 pc.



5.5 Max. Cutting Area **27** Max. Powerful Engine HORSEPOWER

**CUTIDY ZERO-TURN
RIDING LAWN MOWER**

KDZTR58421



EU.DCK-TOOLS.COM/OPE/
DCK BRUSHLESS CORDLESS
OUTDOOR POWER EQUIPMENT

LKA LINER KEEPING ASSIST

Coordinates with motor controller and onboard IMU sensor.
Actively corrects vehicle tilt or drift.
Reduces deviation from slipping or slope driving.

LKA ON



DUAL CONTROL PANEL

Fingertip Panel saves you from heads down during busy work.
6.75" TFT Screen provides detailed informations.



REAR OBSTACLE DETECTION RADAR

When the cutting knife is activated, reverse driving., reverse alarm activated, distance to obstacle less than 30 cm, automatic braking.
When the cutting knife is not activated, reverse driving, reverse alarm activated. The closer the distance, the higher the frequency of the beeping.

IMU ANTI-ROLLOVER SYSTEM

The slope angle is constantly monitored. When the slope is greater than 16.7°, speed limit protection will be activated. Avoid the risk of overturning due to excessively steep slopes.





POWERFUL ENOUGH TO FACE CHALLENGES

Dual BLDC high-performance cutting motors and dual BLDC high-performance walking motors. The total power output is equivalent to 27HP, ready to unleash on command.

FLEXIBLE BATTERY CONFIGURATIONS* TO SUIT GARDENS OF ALL SIZES.

Max. configuration can cutting 5.5 acres / charge.
Standard configuration can cutting 2.5 acres / charge.



① 2.8 KWH / 2.5 Acres ② 4 KWH / 3.7 Acres ③ 4.8 KWH / 4.4 Acres ④ 6 KWH / 5.5 Acres

*Minimum 15Ah is required for operation



EQUIPPED WITH QUICK CHARGER

1800 W / 3600 W two kinds of quick charger optional.

KCM1800

KDPPS3600
EXPANDABLE POWER SUPPLY HUB




NEUTRAL POSITION TRAILER MORE EASILY

It can be in neutral gear (disengaging the drive motor and the drive wheels), when pushing or towing the ZTR, there is no motor resistance, making it easier and safer.



5.5 Max. Cutting Area ACRES 27 Max. Powerful Engine HORSEPOWER



16-step millimeter-level height adjustment
16-step: 38 - 115 mm (1.5" - 4.5")



Dual control panels:
6.75-inch TFT display



150° ultra-wide work light
LED daytime running light (DRL)
Fear not the darkness, move freely without hindrance.



Universal wheel design
Zero steering, more flexible



106 cm (42") cutting width
Double-blade cutting is more efficient



Dual control panels:
Multifunctional Handle



Wraparound Ergonomic Seat
Safer and more comfortable



Integrated shock-absorbing suspension system
Effectively reduce driving fatigue



SUPERFUEL 58V
Battery is compatible with all 58V products



KDZTR58421 CUTIDY Zero-Turn Riding Lawn Mower

Horsepower	27HP
Battery (Min. Required/Up to)	58 V 40 Ah / 120 Ah
Charger	1800 W Standard / 3400 W Optional
Deck Width	106 cm / 42" Welded
Cut Area	2.5 - 5.5 acre / 10000 - 22000 sqm
Cut-heights	38 - 115 mm / 1.5" - 4.5"
Blade Speed	2800 - 3200 RPM
Options	Side Discharge / Bagging
Front Wheel Size	13 x 5 - 6
Rear Wheel Size	20 x 10 - 8
Drive Speed	4 - 8 mph (6 - 13 km/h)
Slope Capacity	16.7° (30%)
Brake Pedal	Y
Parking Pedal	Y
Neutral Gear	Y
Slope Warning	Y
Dimensions	1953x1314x1092 mm (76.9"x51.7"x43")
Weight (Without battery pack)	235±3 kg (518 LB)



KCM1800
Charging Quick Charger
(Standard)

Input	AC 220 - 240 V / 50 Hz	220 - 240 V, 50 / 60 Hz
Input Power Rate	1800 W	3600 W
Charging Current	30 A Max.	65 A Max.
Charge Time	** 106 min / 1 * 40 Ah + 2 * 7.5 Ah	** 68 min / 1 * 40 Ah + 2 * 7.5 Ah
Dimensions	369 * 267 * 137 mm	585 * 300 * 366 mm
Weight	3.7 kg	14.5 kg
Ingress Protection	IPX4	-



KDPPS3600
Rapid Charger
(Optional)

**Battery power > 90%